# NITROGEN- nitrogen gas Medical-Technical Gases, Inc.

-----

# Nitrogen

# Nitrogen HP

NITROGEN COMPRESSED N.F. UN1066 NON-FLAMMABLE GAS 2

CAS No. 7727-37-9 N2

DO NOT REMOVE THIS LABEL

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION.

CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION (DUE TO OXYGEN DEFICIENCY)

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision

of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the

indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards.

contraindications, and side effects and the precautions to be taken.

CAUTION:Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Cylinder temperature should

not exceed 125 degrees F (52 degrees C ). Close valve tightly and replace cylinder cap when not in use and when empty. USE IN ACCORDANCE WITH MED-TECH'S MATERIAL SAFETY DATA SHEET.

FIRST AID: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. CALL A PHYSICIAN

1994

MED TECH Since 1961

Medical-Technical Gases, Inc. 20 Hall Street, Medford, MA 02155 800 fine gas FAX 781-395-9098



# Nitrogen Liquid

REFRIGERATED LIQUID

NITROGEN REFRIGERATED LIQUID NF NON-FLAMMABLE GAS 2 UN 1977

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

# Rx only

### WARNING:

Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

### WARNING:

EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin, or clothing.

For liquid withdraw, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder temperature should not exceed 52° C (125° F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

MED TECH Since 1961 Medical-Technical Gases, Inc. 8 Executive Park drive North Bilerica, MA 01862

Tel. 800 FINE GAS Fax (781) 395-9098 www.medtechgases.com R 07-12 43549 (05/05)

# REFRIGERATED LIQUID NITROGEN, REFRIGERATED LIQUID NF UN1977

T ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. TO NOT CHANGE OR FORCE FIT CONNECTIONS.

R. only

WARNING: Administration of Nitrogen may be hazardous or

contraindicated. For use only by or under the supervision of a

administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of

administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.

CAN CAUSE RAPID SUFFOCATION.
CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Cylinder temperature should not exceed 52°C (125°F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen.

Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment

immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.



Medical-Technical Gases, Inc.

8 Executive Park Drive • North Billerica, MA 01862 Tel. 800 FINE GAS • Fax (781) 395-9098 www.medtechgases.com R 07-12

43549 (05/05)

## **NITROGEN**

nitrogen gas

_						
Dr	ndı	ıct	Info	rm	2tin	n

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:10736-203

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	990 mL in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10736- 203-01	8524.3 L in 1 CYLINDER; Type 0: Not a Combination Product	05/29/2012	
2	NDC:10736- 203-02	6400.3 L in 1 CYLINDER; Type 0: Not a Combination Product	05/29/2012	
3	NDC:10736- 203-03	3256.8 L in 1 CYLINDER; Type 0: Not a Combination Product	05/29/2012	
4	NDC:10736- 203-04	2209 L in 1 CYLINDER; Type 0: Not a Combination Product	05/29/2012	
5	NDC:10736- 203-05	708 L in 1 CYLINDER; Type 0: Not a Combination Product	05/29/2012	
6	NDC:10736- 203-06	339.8 L in 1 CYLINDER; Type 0: Not a Combination Product	05/29/2012	
7	NDC:10736- 203-07	240 L in 1 DEWAR; Type 0: Not a Combination Product	05/29/2012	
8	NDC:10736- 203-08	240 L in 1 DEWAR; Type 0: Not a Combination Product	05/29/2012	
9	NDC:10736- 203-09	160 L in 1 DEWAR; Type 0: Not a Combination Product	05/29/2012	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA205866	05/29/2012		

# Labeler - Medical-Technical Gases, Inc. (019481373)

# **Registrant -** Medical-Technical Gases, Inc. (019481373)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Medical-Technical Gases, Inc.		019481373	manufacture(10736-203)		

Revised: 10/2022 Medical-Technical Gases, Inc.